WORKPLACE CHECKLIST:

working with water.

Changes to the workplace exposure standard for silica dust

This checklist will assist you to manage changes to the workplace exposure standard (WES) for silica dust at your workplace.

Ur	nderstanding the change		Have you identified all workers that need
	When did your state or territory implement the reduced WES for silica dust?		health monitoring, including those who do no work directly with silica dust?
	//	M	anaging silica dust at
	Does your state or territory have any requirements in addition to the WES when working with silica dust? For example, NSW and Victoria have specific regulations related to working with engineered stone.	_	Are you using a combination of the hierarchy of control measures to manage the risks of silica dust?
	Have you read guidance material, such as Safe Work Australia's <u>Guide for working with silica</u> and silica containing products, or your state or territory's code of practice (if applicable)?		 Elimination - completely removing the hazard from your workplace □ Can you use a crystalline silica containing product that doesn't need to be modified? □ Can you use a method that generates less dust, for example a wet method?
	Have you spoken with your workers and health and safety representatives about any changes that you plan to make to your workplace to comply with the WES?		Substitution - replacing a product or chemical with one less hazardous ☐ Can you use a product that contains a lower percentage of crystalline silica?
	ssessing the risk of silica dust at		☐ Can you use a liquid or paste form of a silica product?
ус	Do you know about the health risks of silica dust for your workers? Have you provided your workers with training and information about the health risks of		 Isolation - placing physical barriers or distance between a hazard and your workers □ Can you install physical barriers between workers and machines or tools that generate silica dust?
	silica dust? Have you completed a <u>risk assessment</u> for silica dust?		☐ Can you isolate high dust generation work processes within an enclosed room?
	Do you need <u>air monitoring</u> to assess the risk of silica dust at your workplace?		Engineering controls – using physical methods to change the characteristics of the task
	Are your current control measures sufficient for you to comply with the reduced WES for silica dust?		□ Can you use automation when cutting, grinding or drilling?□ Can you install on-tool dust extraction or
	Do you need to implement new measures to control the risk of silica dust and comply with the new WES?		use wet cutting methods?
	Have you considered any other risks that new control measures may introduce? For example, slip, trip and fall hazards when		safe work australia

WORKPLACE CHECKLIST:

Changes to the workplace exposure standard for silica dust

_				
	Administrative controls - providing additional protection after implementing substitution, isolation and engineering controls ☐ Have you updated any internal policies and procedures to account for new measures to control the risk of silica dust and provided them to your workers?	Learn more about the changes to the WES for silica dust on the Safe Work Australia website.		
	Personal protective equipment			
	 □ Have you provided training for your workers on using and maintaining personal protective equipment (PPE) and respiratory protective equipment (RPE)? □ Have you provided fit testing for your 	Notes and comments:		
	workers wearing RPE?			
Ma	aintaining and reviewing			
control measures				
	Are you maintaining all control measures for damage, wear and tear?			
	□ Does anything need replacing or repair?			
	Have any new control measures introduced other risks?			
	☐ Have you completed a <u>risk assessment</u> for these new risks?			
	Do you have a list of triggers that may indicate when controls are not working to their designed specification or operation? For example, you notice dust is settling in areas of your workplace.			
	Does your <u>risk management</u> plan include reviewing your control measures?			
	Are you maintaining your <u>air monitoring</u> and <u>health monitoring</u> records appropriately?			

