

Operating Instructions

863 Valley View Road, Eighty Four, PA 15330 USA Tel: 724-941-9701 • www.skcinc.com

Surface Swab Kit Cat. No. 225-2402



To the trained investigator, gross contamination of building materials is usually self-evident. However, it is often useful to sample materials to demonstrate the presence of elevated levels, determine the relative degree and type of biological contamination in an area, and to verify remediation procedures.

The Surface Swab Kit provides all the necessary supplies to sample surfaces for bioaerosols that are deposited through contact or that settle out of the air onto surfaces where they can



Surface Swab Kit contains 10 sterile swabs in transport tubes and 10 templates (5 x 10 cm)

be re-aerosolized and inhaled. This non-destructive method can be safely used on most surfaces and materials. Rayon tip is inert, non-toxic, and permits good sample retrieval and adsorption. Send samples to a qualified laboratory for analysis.

Operation

- 1. Remove the sterile swab from its package aseptically.
- 2. Remove the sealing cap from the tube containing the sponge. Insert the swab into the tube and moisten the swab tip by pushing it gently into the sponge.
- 3. Remove the swab from the tube. Using a rolling motion with the swab, gently swab the desired area thoroughly. Templates are included in the kit for defined area sampling.
- 4. Insert the swab into the tube, replace the sealing cap, and prepare for transport to a laboratory.

Ordering Information

Description	Cat. No.
Surface Swab Kit,* ea	225-2402
Surface Swabs Only,* pk/50	225-2400
* Limited shelf-life	

For a list of laboratories that can perform microbiological analysis, go to www.skcinc.com and click on the Laboratory List button.

SKC Limited Warranty and Return Policy

SKC products are subject to the SKC Limited Warranty and Return Policy, which provides SKC's sole liability and the buyer's exclusive remedy. To view the complete SKC Limited Warranty and Return Policy, go to http://www.skcinc.com/warranty.